

Mini-plate Fixation for Comminuted Radial Head Fracture

Ho Jung Kang, M.D., Yoo Wang Choi, M.D.,
Soo Bong Hahn, M.D., Eung Shick Kang, M.D.

Department of Orthopedic Surgery, Yonsei University
College of Medicine, Seoul, Korea

Purpose: The recommended treatment of displaced or comminuted radial head fracture has been excision with or without prosthesis replacement. Excision of radial head will result in valgus deformity, and proximal migration of radius. Long term follow up of prosthesis also can induce valgus instability, synovitis, dislodging or wearing of prosthesis. This study presents the clinical reports of open reduction and internal fixation with mini-plate and screws.

Materials and Methods: From May 1999 to October 2002, 10 patients with Mason type III (7 cases), type IV (3 cases) were treated with mini-plate and screws. Operative indication were head and neck dissociation fracture, fracture extended to radial tuberosity, children's fracture, dominant side Mason type III, IV injury of highly young active patient. The patients were 7 males and 3 females. Average age was 32 years (14-48 years). Average follow up period was 15.8 months. All fractures were tried to fix at the safe zone with straight, T or L shape miniplate. Extracorporeal reduction of radial head was done in 4 cases. Additional fixation was done in 7 cases. Herbert's screw was used in 3 cases,

mini-screw in 4 cases, buried K-wires in five cases. Only mini-plate and screws was used in one case. Auto distal-radial bone graft to the neck was done in one case. Average duration of immobilization was 4 weeks (3-6 weeks). Removal of internal fixation was done in three cases and second stage arthrolysis was done in two cases.

Results: At the last follow up, average range of motion was 9° - 123° , 58° in pronation and 55° in supination. By the functional rating index (Modified after B.F. Morrey et al.), 3 cases were excellent, 4 cases were good, and 1 case was fair, 2 cases were poor. Each case of K-wire migration, nonunion in neck and partial avascular necrosis of head was developed. But there were no discomfort of ADL. The result of Mason type III was better than type IV.

Conclusion: Open reduction and plate fixation of radial head fracture is recommended for head and neck dissociation fracture or extended fracture line to the radial tuberosity, children's fracture and dominant side of Mason type III, IV fracture in highly young active patient

Key Words: Radial head, Comminuted fracture,
Mini-plate fixation

Mason Type III, IV
가

146-92

silicone

8, 12, 19)

TEL: 02-3497-3412, FAX: 02-573-5393
E-mail: kangho56@yumc.yonsei.ac.kr




Fig. 1. Preoperative and postoperative forearm anteroposterior and lateral radiographs of Essex-Lopresti injury and Mason type III radial head fracture after out-car traffic accident. Distal radioulnar dislocation was seen and that was reduced after Kirschner 's wire fixation



Fig. 2. Nonunion and avascular necrosis, male 48 years old with Mason type III fracture and Essex-Lopresti njury (A) Preoperative and postoperative anteroposterior view fixation with L-shape mini-plate (B) Anteroposterior and lateral flexion and extension view shown avacular necrosis and nonunion after hardware removal. And flexion and extension lateral view shown full range of motion.



Fig. 3. Anteroposterior view of medial epicondyle ossification at postoperative 1 year 3 months after hardware removal (Mason type III fracture)

Table 1. Functional rating index

Variable	Points
Motion	
Degree of flexion 150	30
Degree of extension 10	2
Degree of pronation 80	16
Degree of supination 80	16
Strength	
Normal	12
Mild loss (80% of opposite side)	8
Moderate loss (50% of opposite)	4
Severe loss (limits everyday tasks, disabling)	0
Stability	
Normal	12
Mild loss (no limitation)	6
Grossly unstable	0
Pain	
None	12
Mild(activity normal, no medication)	8
Moderate(with or after activity)	4
Severe (at rest, constant medication)	0

14,16,17).
Geel²⁾
Rene¹⁴⁾ Mason
Type III
Kirschner's wire, Herbert screw, titanium
mini-plate
Mason Type II Mason Type III

1,2,3,15).



Fig. 4. Preoperative and postoperative anteroposterior view of 14 years old male. Incomplete reduction was done and plate fixation for radial head and neck dissociation

가
Type III Type IV
Mason
1999 5 2002 8
Mason Type III Type
IV
10 가 7 , 가
3 , 30 (14 48) ,
15.8 (12 29)
3.9
4 (3 6)
6 가 , 1
가 1 , 가 1
1
45
, 5 CT
CT 가 3
가
1 Mason Type III 7 , Mason
Type IV 3 , Essex-Lopresti
Type 4 Type III 2 , Type
IV 2
가 1
T(5 cases),
L(4 cases), I(1 case)

가 4 , , Mason Type III가 2
 가 4 , 3 1 Essex-Lopresti가 , Mason type
 , 7 가 . 2 IV가 2 Type IV Essex-Lopresti 1
 Herbert , 2 1.5 mm miniscrew . 37 , 95
 , 5 K- 가 . Mason type III 1 (Case 1)
 . K- 가
 (impact) 가 , 가 ,
 , 가 가
 . 4 2 (Fig. 2). Mason type III 1 (Case 2)
 Essex-Lopresti (Fig. 1). (Fig. 3). Mason type IV 1 (Case 5)
 K- (Fig. 1). 가

. Type III 14
 B.F. Morrey³⁾ Functional (Case 9)
 rating index (Table 1)
 , 가 3 ,
 가 4 , 1 , 2 . (Fig. 4).
 8.7 122.5 K- 가 1 , 가 1 ,
 가 57.5 , 55 . 1 (Table 2).
 Mason Type III
 , Mason Type IV
 , Elbow score
 84.1 , Type III 92.8, Type IV 63.6
 가 Mason ⁶⁾
 , Johnson ⁴⁾

Table 2. Summary of Case

No	Sex/Age	Trauma	Type	Plate	Screw	Wire	Result	Complication	Treatment
1	M/48	out car T.A	III(E-L)	L	herbert	K-wire	Good	K-wire migration, Nonunion, Stiff elbow	Hardware removal
2	M28	slip down	III	L	miniscrew	K-wire	Excellent		
3	F/30	slip down	III	L	miniscrew	K-wire	Good	Stiff elbow	arthrolysis, H/W removal
4	M/29	slip down	IV(E-L)	T	-	K-wire	Poor		
5	M/38	falling down	IV	I	-	K-wire	Poor	Stiff elbow, Tardy ulnar nerve palsy	arthrolysis, Hardware removal, Anterior transposition
6	M/30	slip down	III(E-L)	T	herbert	-	Excellent		
7	M/18	slip down	III	T	-	-	Excellent		
8	F/34	rolling down	IV(E-L)	T	-	-	Fair	Stiff elbow	PTx
9	F/14	direct trauma	III	T	-	-	Good		
10	M/30	slip down	III	T	-	-	Good		

*E-L : Essex-Lopresti

가
1
가
가
2
K- , Herbert
110
65 45 . Safety zone
3
18)
L-shape T-shape
plate, 6 T-shape plate 3 L-shape
plate safety zone 1 I-shape
10). Silicone prosthesis
silicone 360 가
5)
7, 12)
T-shape plate
good
Mason Type III
2, 3). King 3) II 100% 가
III 33% 16, 17)
12, 14)
Type III 3 , 4
Elbow score 92.8
Mason Type III
Sanders 16) AO 360
Mason (extracorporeal
Type III Herbert Mini reduction)
AO plate 15) K- 가
360 가 가
가 K- 가 가
Mason Type IV

Mason Type IV

Type IV

III

Elbow score 63.6

Stability 10,12,12

score

가

Mason Type III

IV

가

REFERENCES

- 1) , , , , : 32:853-860,1997.
- 2) **Christoph W. Geel, Andrew K. Palmer, Th Ruedi, A.F. Leutenegger**: Internal fixation of Proximal radial head fracture. J Orthop Trauma 4(3):270-273,1990.
- 3) **Graham J.W.King, Dennis C. Evans, James F. Kellam**: Open reduction and internal fixation of radial head fractures. J Orthop Trauma 5(1):21-28,1991.
- 4) **Johnson G**: Follow-up of one hundred cases of fracture of the head of the radius with a review of the literature. Ulster Med J 31:51-56,1952.
- 5) **Judet T, Garreau de Loubresse C, Piriou P, Charnley G**: A floating prosthesis for radial head fractures. J Bone joint Surg Br. 78 : 244-249,1996.
- 6) **Mason ML**: Some obseravations on fractures of the head of the radius with a review of one hundred cases. J Bone Joint Surg Br 42:123-132,1954.
- 7) **Mayhall WS, Tiley FT, Paluska DJ**: Fracture of Silastic radial head prosthesis. J Bone Joint Surg Am 63:459-460,1981.
- 8) **Mikic Z, vukadinovic S**: Late results in fractures of the radial head treated by excision. Clin Orthop 181:220-228,1983.
- 9) **Miller K, Dreman D, Maylahan D**: Treatment of displaced segmental radial head fractures. J Bone joint Surg 63A : 712-717,1981.
- 10) **Moro JK, Werier J, Macdermid JC, Patterson SD, King GJ**: Arthroplasty with a metal radial head for unreconstructable fractures of the radial head. J Bone Joint Surg Am 83 : 1201-1211,2001.
- 11) **Morrey BF**: The Elbow and its Disorders, 2nd ed. Philadelphia, WB Saunders, 1993.
- 12) **Morrey BF, Askew L, Chao EY**: Silastic prosthetic replacement for the radial head. J Bone Joint Surg 63A:454-458,1981.
- 13) **Morrey BF, Chao EY, Hui FC**: Biomechanical study of the Elbow following excision of the radial head. J Bone Joint Surg 61-A:63-68,1979.
- 14) **Radin EL, Riseborough EJ**: Fractures of the radial head. J Bone joint Surg Am 48:1055-1064,1966.
- 15) **Rene D, Esser, Stanton Davis, Tala Taavao**: Fractures of the Radial head treated by internal fixation : Late results in 26 cases. J Orthop Trauma 9(4):318-323,1995.
- 16) **Sanders RA, French HG**: Open reduction and internal fixation of comminuted radial head fractures. Am J Sports Med 14:130-134,1996.
- 17) **Shemuli G, Herold H**: Compression screwing of displaced fractures of the head of the radius. J Bone Joint Surg 63B : 535-538,1981.
- 18) **Soyer AD, Nowotarski PJ, Kelso TB, Mighell MA**: Optimal position for plate fixation of complex fractures of the proximal radius : A cadaver study. J Orthop Trauma 12(4): 291-293,1998.
- 19) **Swanson AV, Jaeger SH, Rochelle D**: Comminuted fractures of the radial head. J Bone joint surg 63A:1039-1049,1981.
- 20) **Taylor TKF, O 'connor BT**: The effect upon the inferior radio-ulnar joint of excision of the head of the radius in adults. J Bone Joint Surg 46B: 83-88,1964.